

# EXL1-10-UNV-WH-#-2

## LED Emergency Exit Sign

### Product Description

The EXL1 Series is a thermoplastic LED exit that combines a low-profile, contemporary design with the performance and dependability of LED technology in an affordable package. This series is available in white and offers universal mounting with testing button, Ni-Cad battery with low-voltage disconnection preventing deep discharge damage to the battery, and is also damp location listed. The EXL1 Series is a perfect modern-day, LED design for your project.

### Construction

Injection molded thermoplastic ABS housing  
UL-94V-0 flame rating - Flame Retardant  
Red or Green text options available  
6" Letter Height  
Double Face Configuration

### Electrical

120-277V Dual Voltage Operation  
LED Indicator Light & Push Button Test Switch  
90 Min capacity on emergency mode  
Damp Location Rated (0°C - 40°C)

### Installation

Universal mounting plate with EZ quick connect


### PRODUCT INFORMATION

Input Voltage (V):	120-277
Emergency Battery:	90 minutes

Project

Catalog

Type



### Ordering Information

Example: EXL1-10-UNV-WH-R-2

Series	Version	Voltage	Housing Color	Lettering
EXL1	10 (1.0)	UNV (120-277V)	WH (white)	R-2 (red) G-2 (green)