

NICOR® | **LED**

Under Cabinet Series

NUC-4 Hardwired




Warm, Efficient, Economical



NUC-4

LED Hardwired Under Cabinet

NICOR LED under cabinet lighting is an attractive upgrade that can quickly increase the value and functionality of your work space. The NUC4 presents a clean, professional look allowing you to use an existing wall switch or dimmer to easily control your lights. Offering uniform illumination, warm color and low operating temperatures, this under cabinet light can be used in residential, retail, and commercial applications. Whether in a kitchen, under a shelf or in a defined work space, these low profile fixtures are perfect for task or accent lighting and illuminating products, apparel or collectibles. These linear fixtures are Energy Star rated, CEC Title 24 compliant and offer over 20 years of maintenance free operation.



NUC-4 | Hardwired

Product Specs

Construction

Extruded aluminum housing for durability and ample heatsinking
 Low 1-inch profile keeps the fixture unobtrusive and out of view
 No UV or forward-projected heat
 UL Listed for damp locations

Optical System

Uniform lighting with specially designed glass diffuser to prevent pixilation and "hot spots" on counter tops

Electrical

Greater than 92 CRI with R9 greater than 50
 Dimmable with most TRIAC dimmers
 Custom low-profile driver engineered for optimal dimming across all sizes
 Operating temperature rating of 0°F to 120°F (-18°C – 49°C)
 120VAC Input
 L70 rated for greater than >36,000 hours
 TM-21 Projected L70(6k) life >100,000 hours
 LM-79, LM-80 testing performed in accordance with IESNA standards
 Meets FCC Part 15:2006 Class B requirements

Finish

Available in: Black, Nickel, White, and Oil-Rubbed Bronze

Installation

Easy surface mount installation
 Pre-installed captive screws allow for quick mounting
 Positive latch door for easy access and installation
 Versatile knockout selection allows for multidirectional wiring

Warranty

5-year limited system warranty standard



FINISH OPTIONS



Ordering Information					Example: NUC-4-12-DM-W-NK
Series	Version	Length			Housing Color
NUC	4	08 (8 inches)	DM (Dimmable)	W (Wired)	BK (black)
		12 (12 ½ inches)			NK (nickel)
		21 (21 ½ inches)			OB (oil-rubbed bronze)
		30 (30 inches)			WH (white)
		40 (40 Inches)			

All reports based on current industry standards; field performance may differ from laboratory performance.
 Specifications and dimensions subject to change without notice.

Warehouse Locations

Albuquerque NM
Atlanta GA
Detroit MI
Miami FL
San Antonio TX
Syracuse NY

T 800.821.6283

F 800.892.8393

www.nicorlighting.com

2200 Midtown Place NE
Albuquerque NM 87107 USA



LIT-UHW 0916

©2016 NICOR® • ALL RIGHTS RESERVED